

**JUNE
2023**

siiora

Preserving Nature's Most Wonderful Creation

Tibia / Femur Nailing System



www.siiora.com

**Product Catalogue
2023**




Tibial Nail, Lower End Distal Hole (14° Bend)

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel		Titanium	
030.09.26	260	9.0	Ti.030.09.26
030.09.28	280	9.0	Ti.030.09.28
030.09.30	300	9.0	Ti.030.09.30
030.09.32	320	9.0	Ti.030.09.32
030.09.34	340	9.0	Ti.030.09.34
030.09.36	360	9.0	Ti.030.09.36
030.09.38	380	9.0	Ti.030.09.38
030.09.40	400	9.0	Ti.030.09.40
030.09.42	420	9.0	Ti.030.09.42
030.09.44	440	9.0	Ti.030.09.44

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel		Titanium	
030.10.26	260	10.0	Ti.030.10.26
030.10.28	280	10.0	Ti.030.10.28
030.10.30	300	10.0	Ti.030.10.30
030.10.32	320	10.0	Ti.030.10.32
030.10.34	340	10.0	Ti.030.10.34
030.10.36	360	10.0	Ti.030.10.36
030.10.38	380	10.0	Ti.030.10.38
030.10.40	400	10.0	Ti.030.10.40
030.10.42	420	10.0	Ti.030.10.42
030.10.44	440	10.0	Ti.030.10.44

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel		Titanium	
030.11.26	260	11.0	Ti.030.11.26
030.11.28	280	11.0	Ti.030.11.28
030.11.30	300	11.0	Ti.030.11.30
030.11.32	320	11.0	Ti.030.11.32
030.11.34	340	11.0	Ti.030.11.34
030.11.36	360	11.0	Ti.030.11.36
030.11.38	380	11.0	Ti.030.11.38
030.11.40	400	11.0	Ti.030.11.40
030.11.42	420	11.0	Ti.030.11.42
030.11.44	440	11.0	Ti.030.11.44



Tibial Nail 11° Bend (Modified Version)

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
045.08.26	260	8.0	Ti.045.08.26
045.08.28	280	8.0	Ti.045.08.28
045.08.30	300	8.0	Ti.045.08.30
045.08.32	320	8.0	Ti.045.08.32
045.08.34	340	8.0	Ti.045.08.34
045.08.36	360	8.0	Ti.045.08.36
045.08.38	380	8.0	Ti.045.08.38
045.08.40	400	8.0	Ti.045.08.40

CE 0068

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
045.09.28	280	9.0	Ti.045.09.28
045.09.30	300	9.0	Ti.045.09.30
045.09.32	320	9.0	Ti.045.09.32
045.09.34	340	9.0	Ti.045.09.34
045.09.36	360	9.0	Ti.045.09.36
045.09.38	380	9.0	Ti.045.09.38
045.09.40	400	9.0	Ti.045.09.40


CE 0068

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
045.10.28	280	10.0	Ti.045.10.28
045.10.30	300	10.0	Ti.045.10.30
045.10.32	320	10.0	Ti.045.10.32
045.10.34	340	10.0	Ti.045.10.34
045.10.36	360	10.0	Ti.045.10.36
045.10.38	380	10.0	Ti.045.10.38
045.10.40	400	10.0	Ti.045.10.40

CE 0068

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
045.11.28	280	11.0	Ti.045.11.28
045.11.30	300	11.0	Ti.045.11.30
045.11.32	320	11.0	Ti.045.11.32
045.11.34	340	11.0	Ti.045.11.34
045.11.36	360	11.0	Ti.045.11.36
045.11.38	380	11.0	Ti.045.11.38
045.11.40	400	11.0	Ti.045.11.40

CE 0068



Femoral Nail, Lower End Distal Hole

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
032.09.26	260	9.0	Ti.032.09.26
032.09.28	280	9.0	Ti.032.09.28
032.09.30	300	9.0	Ti.032.09.30
032.09.32	320	9.0	Ti.032.09.32
032.09.34	340	9.0	Ti.032.09.34
032.09.36	360	9.0	Ti.032.09.36
032.09.38	380	9.0	Ti.032.09.38
032.09.40	400	9.0	Ti.032.09.40
032.09.42	420	9.0	Ti.032.09.42
032.09.44	440	9.0	Ti.032.09.44
Stainless Steel			Titanium
032.10.26	260	10.0	Ti.032.10.26
032.10.28	280	10.0	Ti.032.10.28
032.10.30	300	10.0	Ti.032.10.30
032.10.32	320	10.0	Ti.032.10.32
032.10.34	340	10.0	Ti.032.10.34
032.10.36	360	10.0	Ti.032.10.36
032.10.38	380	10.0	Ti.032.10.38
032.10.40	400	10.0	Ti.032.10.40
032.10.42	420	10.0	Ti.032.10.42
032.10.44	440	10.0	Ti.032.10.44
Stainless Steel			Titanium
032.11.26	260	11.0	Ti.032.11.26
032.11.28	280	11.0	Ti.032.11.28
032.11.30	300	11.0	Ti.032.11.30
032.11.32	320	11.0	Ti.032.11.32
032.11.34	340	11.0	Ti.032.11.34
032.11.36	360	11.0	Ti.032.11.36
032.11.38	380	11.0	Ti.032.11.38
032.11.40	400	11.0	Ti.032.11.40
032.11.42	420	11.0	Ti.032.11.42
032.11.44	440	11.0	Ti.032.11.44
Stainless Steel			Titanium
-	260	12.0	Ti.032.12.26
032.12.28	280	12.0	Ti.032.12.28
032.12.30	300	12.0	Ti.032.12.30
032.12.32	320	12.0	Ti.032.12.32
032.12.34	340	12.0	Ti.032.12.34
032.12.36	360	12.0	Ti.032.12.36
032.12.38	380	12.0	Ti.032.12.38
032.12.40	400	12.0	Ti.032.12.40
032.12.42	420	12.0	Ti.032.12.42
032.12.44	440	12.0	Ti.032.12.44

PROXIMAL SHAFT DIA 13.0 MM



CE 0068

Slim Femur Cannulated Nail

Cat No.	Length (mm)	Dia (mm)	Cat No.
Stainless Steel			Titanium
031.09.26	260	9.0	Ti.031.09.26
031.09.28	280	9.0	Ti.031.09.28
031.09.30	300	9.0	Ti.031.09.30
031.09.32	320	9.0	Ti.031.09.32
031.09.34	340	9.0	Ti.031.09.34
031.09.36	360	9.0	Ti.031.09.36
031.09.38	380	9.0	Ti.031.09.38
031.09.40	400	9.0	Ti.031.09.40
031.09.42	420	9.0	Ti.031.09.42
031.09.44	440	9.0	Ti.031.09.44
Stainless Steel			Titanium
031.10.26	260	10.0	Ti.031.10.26
031.10.28	280	10.0	Ti.031.10.28
031.10.30	300	10.0	Ti.031.10.30
031.10.32	320	10.0	Ti.031.10.32
031.10.34	340	10.0	Ti.031.10.34
031.10.36	360	10.0	Ti.031.10.36
031.10.38	380	10.0	Ti.031.10.38
031.10.40	400	10.0	Ti.031.10.40
031.10.42	420	10.0	Ti.031.10.42
031.10.44	440	10.0	Ti.031.10.44
Stainless Steel			Titanium
031.11.26	260	11.0	Ti.031.11.26
031.11.28	280	11.0	Ti.031.11.28
031.11.30	300	11.0	Ti.031.11.30
031.11.32	320	11.0	Ti.031.11.32
031.11.34	340	11.0	Ti.031.11.34
031.11.36	360	11.0	Ti.031.11.36
031.11.38	380	11.0	Ti.031.11.38
031.11.40	400	11.0	Ti.031.11.40
031.11.42	420	11.0	Ti.031.11.42
031.11.44	440	11.0	Ti.031.11.44
Stainless Steel			Titanium
031.12.30	300	12.0	Ti.031.12.30
031.12.32	320	12.0	Ti.031.12.32
031.12.34	340	12.0	Ti.031.12.34
031.12.36	360	12.0	Ti.031.12.36
031.12.38	380	12.0	Ti.031.12.38
031.12.40	400	12.0	Ti.031.12.40
031.12.42	420	12.0	Ti.031.12.42
031.12.44	440	12.0	Ti.031.12.44

CE 0068

PROXIMAL SHAFT DIA 11.0 MM



4.9mm Dia. Locking Bolt Self Tapping

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
040.024	24	Ti.040.024
040.026	26	Ti.040.026
040.028	28	Ti.040.028
040.030	30	Ti.040.030
040.032	32	Ti.040.032
040.034	34	Ti.040.034
040.036	36	Ti.040.036
040.038	38	Ti.040.038
040.040	40	Ti.040.040
040.042	42	Ti.040.042
040.044	44	Ti.040.044
040.046	46	Ti.040.046
040.048	48	Ti.040.048
040.050	50	Ti.040.050
040.052	52	Ti.040.052
040.054	54	Ti.040.054
040.056	56	Ti.040.056
040.058	58	Ti.040.058
040.060	60	Ti.040.060
040.065	65	Ti.040.065
040.070	70	Ti.040.070
040.075	75	Ti.040.075
040.080	80	Ti.040.080
040.085	85	Ti.040.085
040.090	90	Ti.040.090
040.095	95	Ti.040.095
040.100	100	Ti.040.100

CE 0068

End Cap for Tibia Nail


Cat No.	Dia. (mm)	
027.100	12	S.S.
Ti.027.100	12	Titanium

CE 0068

End Cap for Femoral Nail

Cat No.	Dia. (mm)	
027.110	13	S.S.
Ti.027.110	13	Titanium

CE 0068






**Unreamed (Solid) Tibial Nail Lower End Distal Hole - S.S.
(Tapper Tip)**


Cat No.	Length (mm)	Dia(mm)
053.08.28	280	8.0
053.08.30	300	8.0
053.08.32	320	8.0
053.08.34	340	8.0
053.08.36	360	8.0
053.08.38	380	8.0
053.08.40	400	8.0

Cat No.	Length (mm)	Dia(mm)
053.09.28	280	9.0
053.09.30	300	9.0
053.09.32	320	9.0
053.09.34	340	9.0
053.09.36	360	9.0
053.09.38	380	9.0
053.09.40	400	9.0

Cat No.	Length (mm)	Dia(mm)
053.10.28	280	10.0
053.10.30	300	10.0
053.10.32	320	10.0
053.10.34	340	10.0
053.10.36	360	10.0
053.10.38	380	10.0
053.10.40	400	10.0




IS.112 Instrument Set for Tibia & Femur Adjustable Device Set



IS.112 Instrument Set for Tibia & Femur Adjustable Device Set		Units
260.502	Drill Bit Q.C. S.S. Dia 4.5mm x 4.0mm x 310mm Length	1
301.051	Extra Long Screw Driver 3.5mm Tip	1
303.060	Depth Gauge with 175mm Long Sleeve for Tibia / Femur Set	1
384.010	Diamond Pointed Bone Awl	1
710.002	Tissue Protector	1
710.005	Plastic Medullary Tube	1
721.005	Spanner Stainless Steel 17mm	1
723.007	Cannulated Conical Bolt for Tibia - S.S.	1
723.008	Cannulated Conical Bolt for Femur - S.S.	1
723.010	Extractor Set Containing Two Items (Ram & Rod)	1
723.020	Trocar 8.0mm Dia. (for Delta Tibia / Femur Nail)	2
723.039	Reaming Rod Plain 2.5mm x 850mm Length	1
723.040	Reaming Rod with Stopper 2.5mm x 850mm Length	1
723.012	Driving Head	1
823.001	Proximal & Distal Zig for Tibia - Variable Angle	1
823.003	Proximal & Distal Zig for Femur - Variable Angle	1
823.005	Pojection Sleeve 9.5mm x 8.0mm x 165mm for Variable Angle Tibia & Femur Distal Jig	2
823.007	Drill Sleeve 8.0mm x 4.7mm x 175mm for Variable Angle Tibia & Femur Distal Jig	1
823.008	A P Hole Aiming Device for Tibia	1
823.009	A P Hole Aiming Device for Femur	1
823.010	T - Handle with Pusher Block for Tibia	1
823.011	T - Handle with Pusher Block for Femur	1
823.012	Tomy Bar for Tibia & Femur Jig Knob	1
823.013	Protection Sleeve Flat Cut 9.5mm x 8.0mm x 145mm for Variable Angle	1
Tibia & Femur Distal Jig		
823.014	Protection Sleeve Flat Cut 8.0mm x 5.0mm x 155mm for Variable Angle	1
Tibia & Femur Distal Jig		
261.50.250	Drill Bit S.S. Plain Shank 5.0mm x 250mm Length	1
400.105	Graphic Aluminium Instrument Box for Tibia & Femur Adjustable Device Set	1

Instruments for Interlocking Nail

823.001 Proximal & Distal Zig for Tibia - Variable Angle



823.003 Proximal & Distal Zig for Femur - Variable Angle



823.008 A.P. Hole Aiming Device for Tibia



823.009 A.P. Hole Aiming Device for Femur



823.010 T- Handle with Pusher Block for Tibia



823.011 T- Handle with Pusher Block for Femur



Instruments for Interlocking Nail

823.005 Protection Sleeve 9.5mmx8.0mmx165mm
for variable angle tibia & Femur Distal Zig



823.007 Drill Sleeve 8.0 x 4.7mm x 175mm
for variable angle tibia & Femur Distal Zig



823.012 Tommy Bar for Tibia & Femur Zig Knob



823.013 Protection Sleeve Flat Cut
9.5mm x 8.0mm x 145mm for
variable angle Tibia & Femur Distal Zig



823.014 Protection Sleeve Flat Cut
8.0mm x 5.0mm x 155mm for
variable angle Tibia & Femur Distal Zig



723.020 Trocar 8.0mm Dia. for Tibia & Femur Nail



723.039 Reaming Rod Plain 2.5mm x 850mm Length



723.040 Reaming Rod with Stopper 2.5mm x 850mm
Length



Instruments for Interlocking Nail

260.502 Drill Bit Q.C. S.S. Dia 4.5 x 4.0 x 310mm Length



301.051 Extra Long Screw Driver 3.5mm Tip



303.060 Depth Gauge with 175mm Long Sleeve for Tibia / Femur Set



721.005 Spanner Stainless Steel 17mm



723.007 Cannulated Conical Bolt for Tibia -S.S.



723.008 Cannulated Conical Bolt for Femur - S.S.



723.010 Extractor Set Containing Two Items (Ram & Rod)



723.012 Driving Head



Instruments for Interlocking Nail

384.010 Diamond Pointed Bone Awl






710.002 Tissue Protector



710.005 Plastic Medullary Tube



IS.159 Graphic Femur Implants & Reamers Set



IS.159 Graphic Femur Implants & Reamers Set

Cat No. IS.159	Graphic Femur Implants & Reamers Set	Units
031.09.30	Slim Femur Nail - S.S Dia. 9mm X 300mm Length	1
031.09.32	Slim Femur Nail - S.S Dia. 9mm X 320mm Length	1
031.09.34	Slim Femur Nail - S.S Dia. 9mm X 340mm Length	1
031.09.36	Slim Femur Nail - S.S Dia. 9mm X 360mm Length	1
031.09.38	Slim Femur Nail - S.S Dia. 9mm X 380mm Length	1
031.09.40	Slim Femur Nail - S.S Dia. 9mm X 400mm Length	1
031.09.42	Slim Femur Nail - S.S Dia. 9mm X 420mm Length	1
031.10.30	Slim Femur Nail - S.S Dia. 10mm X 300mm Length	1
031.10.32	Slim Femur Nail - S.S Dia. 10mm X 320mm Length	1
031.10.34	Slim Femur Nail - S.S Dia. 10mm X 340mm Length	1
031.10.36	Slim Femur Nail - S.S Dia. 10mm X 360mm Length	1
031.10.38	Slim Femur Nail - S.S Dia. 10mm X 380mm Length	1
031.10.40	Slim Femur Nail - S.S Dia. 10mm X 400mm Length	1
031.10.42	Slim Femur Nail - S.S Dia. 10mm X 420mm Length	1
031.11.30	Slim Femur Nail - S.S Dia. 11mm X 300mm Length	1
031.11.32	Slim Femur Nail - S.S Dia. 11mm X 320mm Length	1
031.11.34	Slim Femur Nail - S.S Dia. 11mm X 340mm Length	1
031.11.36	Slim Femur Nail - S.S Dia. 11mm X 360mm Length	1
031.11.38	Slim Femur Nail - S.S Dia. 11mm X 380mm Length	1
031.11.40	Slim Femur Nail - S.S Dia. 11mm X 400mm Length	1
031.11.42	Slim Femur Nail - S.S Dia. 11mm X 420mm Length	1
031.12.30	Slim Femur Nail - S.S Dia. 12mm X 300mm Length	1
031.12.32	Slim Femur Nail - S.S Dia. 12mm X 320mm Length	1
031.12.34	Slim Femur Nail - S.S Dia. 12mm X 340mm Length	1
031.12.36	Slim Femur Nail - S.S Dia. 12mm X 360mm Length	1
031.12.38	Slim Femur Nail - S.S Dia. 12mm X 380mm Length	1
031.12.40	Slim Femur Nail - S.S Dia. 12mm X 400mm Length	1
031.12.42	Slim Femur Nail - S.S Dia. 12mm X 420mm Length	1
040.026	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 26mm	2
040.028	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 28mm	2
040.030	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 30mm	2
040.032	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 32mm	2
040.034	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 34mm	2

Continue

Cat No. IS.159	Graphic Femur Implants & Reamers Set	Units
040.036	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 36mm	2
040.038	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 38mm	2
040.040	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 40mm	2
040.042	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 42mm	2
040.044	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 44mm	2
040.046	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 46mm	2
040.048	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 48mm	2
040.050	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 50mm	2
040.052	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 52mm	2
040.054	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 54mm	2
040.056	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 56mm	2
040.058	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 58mm	2
040.060	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 60mm	2
040.065	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 65mm	2
040.070	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 70mm	2
040.075	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 75mm	2
040.080	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 80mm	2
708.203	Cannulated Rigid Reamers Dia. 8.0mm	1
708.205	Cannulated Rigid Reamers Dia. 9.0mm	1
708.207	Cannulated Rigid Reamers Dia. 10.0mm	1
708.209	Cannulated Rigid Reamers Dia. 11.0mm	1
708.211	Cannulated Rigid Reamers Dia. 12.0mm	1
708.213	Cannulated Rigid Reamers Dia. 13.0mm	1
XP.712.280	Flexible Reamer Shaft Fixed Head 8.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.290	Flexible Reamer Shaft Fixed Head 9.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.300	Flexible Reamer Shaft Fixed Head 10.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.310	Flexible Reamer Shaft Fixed Head 11.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.320	Flexible Reamer Shaft Fixed Head 12.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.330	Flexible Reamer Shaft Fixed Head 13.0 MM Dia-Stainless Steel 17-4-PH	1
400.144	Graphic Implants & Instruments box for Femur Nails, Bolts & Reamers with 4 Trays	1

IS.160 Graphic Tibia Implants & Reamers Set



IS.160 Graphic Tibia Implants & Reamers Set

Cat No. IS.160	Graphic Tibia Implants & Reamers Set	Units
040.026	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 26mm	2
040.028	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 28mm	2
040.030	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 30mm	2
040.032	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 32mm	2
040.034	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 34mm	2
040.036	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 36mm	2
040.038	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 38mm	2
040.040	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 40mm	2
040.042	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 42mm	2
040.044	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 44mm	2
040.046	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 46mm	2
040.048	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 48mm	2
040.050	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 50mm	2
040.052	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 52mm	2
040.054	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 54mm	2
040.056	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 56mm	2
040.058	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 58mm	2
040.060	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 60mm	2
040.065	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 65mm	2
040.070	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 70mm	2
040.075	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 75mm	2
040.080	Locking Bolt Dia. 4.9mm Self Tapping - S.S Length 80mm	2
045.08.26	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 260mm	1
045.08.28	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 280mm	1
045.08.30	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 300mm	1
045.08.32	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 320mm	1
045.08.34	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 340mm	1
045.08.36	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 360mm	1
045.08.38	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 380mm	1
045.08.40	Tibial Nail 11 Deg. Cannulated Dia. 8.0mm Length 400mm	1
045.09.26	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 260mm Length	1
045.09.28	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 280mm Length	1
045.09.30	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 300mm Length	1

Continue

IS.160	Graphic Tibia Implants & Reamers Set	Units
045.09.32	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 320mm Length	1
045.09.34	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 340mm Length	1
045.09.36	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 360mm Length	1
045.09.38	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 380mm Length	1
045.09.40	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 9mm X 400mm Length	1
045.10.26	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 260mm Length	1
045.10.28	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 280mm Length	1
045.10.30	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 300mm Length	1
045.10.32	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 320mm Length	1
045.10.34	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 340mm Length	1
045.10.36	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 360mm Length	1
045.10.38	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 380mm Length	1
045.10.40	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 10mm X 400mm Length	1
045.11.26	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 260mm Length	1
045.11.28	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 280mm Length	1
045.11.30	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 300mm Length	1
045.11.32	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 320mm Length	1
045.11.34	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 340mm Length	1
045.11.36	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 360mm Length	1
045.11.38	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 380mm Length	1
045.11.40	Tibial Nail 11 Deg. Bend (Modified Version) - Dia. 11mm X 400mm Length	1
708.203	Cannulated Rigid Reamers Dia. 8.0mm	1
708.205	Cannulated Rigid Reamers Dia. 9.0mm	1
708.207	Cannulated Rigid Reamers Dia. 10.0mm	1
708.209	Cannulated Rigid Reamers Dia. 11.0mm	1
708.211	Cannulated Rigid Reamers Dia. 12.0mm	1
708.213	Cannulated Rigid Reamers Dia. 13.0mm	1
XP.712.280	Flexible Reamer Shaft Fixed Head 8.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.290	Flexible Reamer Shaft Fixed Head 9.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.300	Flexible Reamer Shaft Fixed Head 10.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.310	Flexible Reamer Shaft Fixed Head 11.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.320	Flexible Reamer Shaft Fixed Head 12.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.330	Flexible Reamer Shaft Fixed Head 13.0 MM Dia-Stainless Steel 17-4-PH	1
400.145	Graphic Implants & Instruments box for Tibia Nails, Bolts & Reamers with 4 Trays	1

IS.056 Tibia / Femur Instrument Set



Cat No. IS.056	Tibia / Femur Instrument Set	Units
723.002	Proximal Zig for Tibia	1
723.004	Proximal Zig for Femur	1
723.007	Cannulated Conical Bolt for Tibia-s.s.	1
723.008	Cannulated Conical Bolt for Femur - S.s.	1
723.010	Extractor Set Containing Two Items (Ram & Rod)	1
723.012	Driving Head	1
723.016	Protection Sleeve 10.0/8.0mm Dia	2
723.018	Drill Sleeve 8.0/4.5mm Dia	1
723.020	Trocar 8.0mm Dia	2
710.002	Tissue Protector	1
723.039	Reaming Rod Plain 2.5mm x 850mm Length	1
723.040	Reaming Rod with Stopper 2.5mm x 850mm Length	1
721.005	Spanner Stainless Steel 17mm	1
710.005	Plastic Medullary Tube	1
260.502	Drill Bit Q.C. S.S. Dia 4.5mm x 4.0mm x 310mm Length	1
301.051	Extra Long Screw Driver 3.5mm Tip	1
303.070	Depth Gauge with 150mm Long Sleeve	1
384.010	Diamond Pointed Bone Awl	1
400.056	Graphic Box for Delta I.L. Set (Tibia & Femur)	1

Instruments for Interlocking Nail

723.002 Proximal Zig for Tibia



723.004 Proximal Zig for Femur



723.007 Cannulated Conical Bolt for Tibia -S.S.



723.008 Cannulated Conical Bolt for Femur - S.S.



723.010 Extractor Set Containing Two Items
(Ram & Rod)



723.012 Driving Head



723.016 Protection Sleeve 10.0/8.0mm Dia



723.018 Drill Sleeve 8.0/4.5mm Dia
(for 4.0mm Drill Bit)



Instruments for Interlocking Nail


723.020 Trocar 8.0mm Dia. for Tibia & Femur Nailing



710.002 Tissue Protector



723.039 Reaming Rod Plain 2.5mm x 850mm Length



723.040 Reaming Rod with Stopper 2.5mm x 850mm Length



721.005 Spanner Stainless Steel 17mm



710.005 Plastic Medullary Tube



260.502 Drill Bit Q.C. S.S. Dia 4.5 x 4.0 x 310mm Length



301.051 Extra Long Screw Driver 3.5mm Tip



Instruments for Interlocking Nail

303.070 Depth Gauge with 150mm Long Sleeve for
Tibia / Femur Set



384.010 Diamond Pointed Bone Awl



Optional Instruments

823.001 Proximal & Distal Zig For Tibia Variable Angle



823.003 Proximal & Distal Zig for Femur Variable Angle



823.002 Proximal Cum Distal Zig Fixed Angle
Modified for Tibia S.S.



823.004 Proximal Cum Distal Zig Fixed Angle
Modified for Femur S.S.



823.013 Protection Sleeve Flat cut 9.50 x 8.0 x 145
for Variable Angle Tibia & Femur Distal Zig



823.014 Protection Sleeve Flat cut 8.0 x 5.0 x 155
for Variable Angle Tibia & Femur Distal Zig



Optional Instruments

723.028 Protection Sleeve for Proximal Reamer 13mm



XP.723.030 Proximal Cannulated Reamer 13.0mm



723.021 Cannulated AWL for Femur I.L. Nails



400.030 Screw Box for 4.9 Interlocking Bolts with
Screw Tray & Screw Holding Forceps
(without Locking Bolts)



IS.039 Flexible Reamer Set- Fixed head



Cat No. IS.039	Description	Units
XP.712.280	Flexible Reamer Shaft Fixed Head 8.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.285	Flexible Reamer Shaft Fixed Head 8.5 MM Dia-Stainless Steel 17-4-PH	1
XP.712.290	Flexible Reamer Shaft Fixed Head 9.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.295	Flexible Reamer Shaft Fixed Head 9.5 MM Dia-Stainless Steel 17-4-PH	1
XP.712.300	Flexible Reamer Shaft Fixed Head 10.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.305	Flexible Reamer Shaft Fixed Head 10.5 MM Dia-Stainless Steel 17-4-PH	1
XP.712.310	Flexible Reamer Shaft Fixed Head 11.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.315	Flexible Reamer Shaft Fixed Head 11.5 MM Dia-Stainless Steel 17-4-PH	1
XP.712.320	Flexible Reamer Shaft Fixed Head 12.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.325	Flexible Reamer Shaft Fixed Head 12.5 MM Dia-Stainless Steel 17-4-PH	1
XP.712.330	Flexible Reamer Shaft Fixed Head 13.0 MM Dia-Stainless Steel 17-4-PH	1
XP.712.335	Flexible Reamer Shaft Fixed Head 13.5 MM Dia-Stainless Steel 17-4-PH	1
400.083	Graphic Aluminum Box For Fixed Head Flexible Reamer	1

Issue No. - 6

Revision No. - 6

UP DATED : 06/2023



Siora Surgicals Private Limited

Manufacturer of :

ORTHOPAEDIC IMPLANTS & INSTRUMENTS

Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura, Delhi - 110 035, INDIA. Phone: +91 11 28316116, 17, 18

Manufacturing Unit:

1792, HSIIDC Indl. Estate, RAI District, Sonapat, Haryana - 131029, INDIA

Website:

www.siiora.com

DISCLAIMER: This catalog is intended exclusively for the reference of Physicians. Any information about the products and procedures listed here is general in nature and may not be construed as any medical advice, whatsoever. Information so provided herein therefore does not qualify to be any diagnostic and / or therapeutic opinion with regard to any individual medical case and a patient may be examined and advised accordingly. The representations thus made in the contents of the catalog are not an alternative to any such examination.