




Preserving Nature's Most Wonderful Creation

JUNE
2023



www.siiora.com

**Product Catalogue
2023**

VARIOLock™

Locking Plate System

Locking Volar Plate 2.7mm Variable Angle

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
867.002V	2	Ti.867.002V
867.003V	3	Ti.867.003V
867.004V	4	Ti.867.004V
867.005V	5	Ti.867.005V
867.006V	6	Ti.867.006V
867.007V	7	Ti.867.007V
867.008V	8	Ti.867.008V
867.010V	10	Ti.867.010V
Stainless Steel	Right	Titanium
867.102V	2	Ti.867.102V
867.103V	3	Ti.867.103V
867.104V	4	Ti.867.104V
867.105V	5	Ti.867.105V
867.106V	6	Ti.867.106V
867.107V	7	Ti.867.107V
867.108V	8	Ti.867.108V
867.110V	10	Ti.867.110V

CE 0068





Locking Variable Angle Volar Plate 2.7mm
Head 4 Holes (Head width 19.5mm) ★

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
895.002	2	Ti.895.002
895.003	3	Ti.895.003
895.004	4	Ti.895.004
895.005	5	Ti.895.005
895.006	6	Ti.895.006
895.007	7	Ti.895.007
895.008	8	Ti.895.008
895.010	10	Ti.895.010
Stainless Steel	Right	Titanium
895.102	2	Ti.895.102
895.103	3	Ti.895.103
895.104	4	Ti.895.104
895.105	5	Ti.895.105
895.106	6	Ti.895.106
895.107	7	Ti.895.107
895.108	8	Ti.895.108
895.110	10	Ti.895.110



VARIOLock™

Locking Variable Angle Volar Plate 2.7mm
Head 4 Holes (Head width 22.0mm) ★

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
895.202	2	Ti.895.202
895.203	3	Ti.895.203
895.204	4	Ti.895.204
895.205	5	Ti.895.205
895.206	6	Ti.895.206
895.207	7	Ti.895.207
895.208	8	Ti.895.208
895.210	10	Ti.895.210
Stainless Steel	Right	Titanium
895.302	2	Ti.895.302
895.303	3	Ti.895.303
895.304	4	Ti.895.304
895.305	5	Ti.895.305
895.306	6	Ti.895.306
895.307	7	Ti.895.307
895.308	8	Ti.895.308
895.310	10	Ti.895.310



CE 0068

Locking Distal Radius Volar Rim Plate 2.4 / 2.7 mm - Variable Angle

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
881.203	3	Ti.881.203
881.204	4	Ti.881.204
881.205	5	Ti.881.205
881.206	6	Ti.881.206
Stainless Steel	Right	Titanium
881.213	3	Ti.881.213
881.214	4	Ti.881.214
881.215	5	Ti.881.215
881.216	6	Ti.881.216

CE 0068




Locking Variable Angle Proximal Lateral Tibia Plate 3.5/4.0mm

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
891.004	4	Ti.891.004
891.006	6	Ti.891.006
891.008	8	Ti.891.008
891.010	10	Ti.891.010
891.012	12	Ti.891.012
891.014	14	Ti.891.014
Stainless Steel	Right	Titanium
891.104	4	Ti.891.104
891.106	6	Ti.891.106
891.108	8	Ti.891.108
891.110	10	Ti.891.110
891.112	12	Ti.891.112
891.114	14	Ti.891.114



Locking Variable Angle Distal Femur Plate 4.5/5.0mm

Cat No.	Holes	Cat No.
Stainless Steel	Left	Titanium
890.105	5	Ti.890.105
890.107	7	Ti.890.107
890.109	9	Ti.890.109
890.111	11	Ti.890.111
890.113	13	Ti.890.113
Stainless Steel	Right	Titanium
890.005	5	Ti.890.005
890.007	7	Ti.890.007
890.009	9	Ti.890.009
890.011	11	Ti.890.011
890.013	13	Ti.890.013



2.4mm Locking Head Screw - Self Tapping (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
100.010	10	Ti.100.010
100.012	12	Ti.100.012
100.014	14	Ti.100.014
100.016	16	Ti.100.016
100.018	18	Ti.100.018
100.020	20	Ti.100.020
100.022	22	Ti.100.022
100.024	24	Ti.100.024
100.026	26	Ti.100.026
100.028	28	Ti.100.028
100.030	30	Ti.100.030



2.4mm Cortical Screw - Self Tapping (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
100.210	10	Ti.100.210
100.212	12	Ti.100.212
100.214	14	Ti.100.214
100.216	16	Ti.100.216
100.218	18	Ti.100.218
100.220	20	Ti.100.220
100.222	22	Ti.100.222
100.224	24	Ti.100.224
100.226	26	Ti.100.226
100.228	28	Ti.100.228
100.230	30	Ti.100.230



2.4mm Cortical Screw - Self Tapping (STAR DRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
100.510	10	Ti.100.510
100.512	12	Ti.100.512
100.514	14	Ti.100.514
100.516	16	Ti.100.516
100.518	18	Ti.100.518
100.520	20	Ti.100.520
100.522	22	Ti.100.522
100.524	24	Ti.100.524
100.526	26	Ti.100.526
100.528	28	Ti.100.528
100.530	30	Ti.100.530
100.532	32	Ti.100.532
100.534	34	Ti.100.534
100.536	36	Ti.100.536
100.538	38	Ti.100.538
100.540	40	Ti.100.540



2.7mm Locking Head Screw - Self Tapping (HEXDRIVE) ★

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
101.910	10	Ti.101.910
101.912	12	Ti.101.912
101.914	14	Ti.101.914
101.916	16	Ti.101.916
101.918	18	Ti.101.918
101.920	20	Ti.101.920
101.922	22	Ti.101.922
101.924	24	Ti.101.924
101.926	26	Ti.101.926
101.928	28	Ti.101.928
101.930	30	Ti.101.930
101.932	32	Ti.101.932
101.934	34	Ti.101.934
101.936	36	Ti.101.936
101.938	38	Ti.101.938
101.940	40	Ti.101.940



CE 0068

2.7mm Locking Head Screw - Self Tapping (STARDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
101.410	10	Ti.101.410
101.412	12	Ti.101.412
101.414	14	Ti.101.414
101.416	16	Ti.101.416
101.418	18	Ti.101.418
101.420	20	Ti.101.420
101.422	22	Ti.101.422
101.424	24	Ti.101.424
101.426	26	Ti.101.426
101.428	28	Ti.101.428
101.430	30	Ti.101.430
101.432	32	Ti.101.432
101.434	34	Ti.101.434
101.436	36	Ti.101.436
101.438	38	Ti.101.438
101.440	40	Ti.101.440
101.445	45	Ti.101.445
101.450	50	Ti.101.450



CE 0068

2.7mm Cortical Screw - Self Tapping (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
101.106	6	Ti.101.106
101.108	8	Ti.101.108
101.110	10	Ti.101.110
101.112	12	Ti.101.112
101.114	14	Ti.101.114
101.116	16	Ti.101.116
101.118	18	Ti.101.118
101.120	20	Ti.101.120
101.122	22	Ti.101.122
101.124	24	Ti.101.124
101.126	26	Ti.101.126
101.128	28	Ti.101.128
101.130	30	Ti.101.130
101.132	32	Ti.101.132
101.134	34	Ti.101.134
101.136	36	Ti.101.136
101.138	38	Ti.101.138
101.140	40	Ti.101.140



CE 0068

2.7mm Cortical Screw - Self Tapping (STARDRIVE)

Cat No.	Length (mm)
Titanium	
Ti.101.710	10
Ti.101.712	12
Ti.101.714	14
Ti.101.716	16
Ti.101.718	18
Ti.101.720	20
Ti.101.722	22
Ti.101.724	24
Ti.101.726	26
Ti.101.728	28
Ti.101.730	30
Ti.101.732	32
Ti.101.734	34
Ti.101.736	36
Ti.101.738	38
Ti.101.740	40



CE 0068

3.5mm Locking Head Screw - Self Tapping (HEXDRIVE) ★

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
102.910	10	Ti.102.910
102.912	12	Ti.102.912
102.914	14	Ti.102.914
102.916	16	Ti.102.916
102.918	18	Ti.102.918
102.920	20	Ti.102.920
102.922	22	Ti.102.922
102.924	24	Ti.102.924
102.926	26	Ti.102.926
102.928	28	Ti.102.928
102.930	30	Ti.102.930
102.932	32	Ti.102.932
102.934	34	Ti.102.934
102.935	35	Ti.102.935
102.936	36	Ti.102.936
102.938	38	Ti.102.938
102.940	40	Ti.102.940
102.945	45	Ti.102.945
102.950	50	Ti.102.950
102.955	55	Ti.102.955
102.960	60	Ti.102.960
102.965	65	Ti.102.965
102.970	70	Ti.102.970
102.975	75	Ti.102.975
102.980	80	Ti.102.980



3.5mm Locking Head Screw - Self Tapping (STARDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
102.410	10	Ti.102.410
102.412	12	Ti.102.412
102.414	14	Ti.102.414
102.416	16	Ti.102.416
102.418	18	Ti.102.418
102.420	20	Ti.102.420
102.422	22	Ti.102.422
102.424	24	Ti.102.424
102.426	26	Ti.102.426
102.428	28	Ti.102.428
102.430	30	Ti.102.430
102.432	32	Ti.102.432
102.434	34	Ti.102.434
102.435	35	Ti.102.435
102.436	36	Ti.102.436
102.438	38	Ti.102.438
102.440	40	Ti.102.440
102.445	45	Ti.102.445
102.450	50	Ti.102.450
102.455	55	Ti.102.455
102.460	60	Ti.102.460
102.465	65	Ti.102.465
102.470	70	Ti.102.470
102.475	75	Ti.102.475
102.480	80	Ti.102.480



CE 0068

3.5mm Dia. Cortical Screw - Self Tapping (HexDrive)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
102.210	10	Ti.102.210
102.212	12	Ti.102.212
102.214	14	Ti.102.214
102.216	16	Ti.102.216
102.218	18	Ti.102.218
102.220	20	Ti.102.220
102.222	22	Ti.102.222
102.224	24	Ti.102.224
102.226	26	Ti.102.226
102.228	28	Ti.102.228
102.230	30	Ti.102.230
102.232	32	Ti.102.232
102.234	34	Ti.102.234
102.236	36	Ti.102.236
102.238	38	Ti.102.238
102.240	40	Ti.102.240
102.245	45	Ti.102.245
102.250	50	Ti.102.250
102.255	55	Ti.102.255
102.260	60	Ti.102.260



CE 0068

VARIOLock™
**4.0mm Locking Head Cancellous Screw
Full Thread - Self Tapping (HEXDRIVE) ★**

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
105.912	12	Ti.105.912
105.914	14	Ti.105.914
105.916	16	Ti.105.916
105.918	18	Ti.105.918
105.920	20	Ti.105.920
105.922	22	Ti.105.922
105.924	24	Ti.105.924
105.926	26	Ti.105.926
105.928	28	Ti.105.928
105.930	30	Ti.105.930
105.932	32	Ti.105.932
105.934	34	Ti.105.934
105.936	36	Ti.105.936
105.938	38	Ti.105.938
105.940	40	Ti.105.940
105.942	42	Ti.105.942
105.944	44	Ti.105.944
105.946	46	Ti.105.946
105.948	48	Ti.105.948
105.950	50	Ti.105.950
105.955	55	Ti.105.955
105.960	60	Ti.105.960
105.965	65	Ti.105.965
105.970	70	Ti.105.970
105.975	75	Ti.105.975
105.980	80	Ti.105.980



4.0mm Locking Head Cancellous Screw Full Thread - Self Tapping - (STARDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
105.612	12	Ti.105.612
105.614	14	Ti.105.614
105.616	16	Ti.105.616
105.618	18	Ti.105.618
105.620	20	Ti.105.620
105.622	22	Ti.105.622
105.624	24	Ti.105.624
105.626	26	Ti.105.626
105.628	28	Ti.105.628
105.630	30	Ti.105.630
105.632	32	Ti.105.632
105.634	34	Ti.105.634
105.636	36	Ti.105.636
105.638	38	Ti.105.638
105.640	40	Ti.105.640
105.642	42	Ti.105.642
105.644	44	Ti.105.644
105.646	46	Ti.105.646
105.648	48	Ti.105.648
105.650	50	Ti.105.650
105.655	55	Ti.105.655
105.660	60	Ti.105.660
105.665	65	Ti.105.665
105.670	70	Ti.105.670
105.675	75	Ti.105.675
105.680	80	Ti.105.680



CE 0068

4.5mm Cortical Screw Self Tapping - (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
106.214	14	Ti.106.214
106.216	16	Ti.106.216
106.218	18	Ti.106.218
106.220	20	Ti.106.220
106.222	22	Ti.106.222
106.224	24	Ti.106.224
106.226	26	Ti.106.226
106.228	28	Ti.106.228
106.230	30	Ti.106.230
106.232	32	Ti.106.232
106.234	34	Ti.106.234
106.236	36	Ti.106.236
106.238	38	Ti.106.238
106.240	40	Ti.106.240
106.242	42	Ti.106.242
106.244	44	Ti.106.244
106.246	46	Ti.106.246
106.248	48	Ti.106.248
106.250	50	Ti.106.250
106.252	52	Ti.106.252
106.254	54	Ti.106.254
106.256	56	Ti.106.256
106.258	58	Ti.106.258
106.260	60	Ti.106.260
106.262	62	Ti.106.262
106.264	64	Ti.106.264
106.266	66	Ti.106.266
106.268	68	Ti.106.268
106.270	70	Ti.106.270
106.272	72	Ti.106.272
106.274	74	Ti.106.274



CE 0068

VARIOLock™
5.0mm Locking Head Screw - Self Tapping (HEXDRIVE) ★


Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
106.920	20	Ti.106.920
106.922	22	Ti.106.922
106.924	24	Ti.106.924
106.926	26	Ti.106.926
106.928	28	Ti.106.928
106.930	30	Ti.106.930
106.932	32	Ti.106.932
106.934	34	Ti.106.934
106.936	36	Ti.106.936
106.938	38	Ti.106.938
106.940	40	Ti.106.940
106.942	42	Ti.106.942
106.944	44	Ti.106.944
106.946	46	Ti.106.946
106.948	48	Ti.106.948
106.950	50	Ti.106.950
106.955	55	Ti.106.955
106.960	60	Ti.106.960
106.965	65	Ti.106.965
106.970	70	Ti.106.970
106.975	75	Ti.106.975
106.980	80	Ti.106.980
106.985	85	Ti.106.985
106.990	90	Ti.106.990


5.0mm Periprosthetic Locking Head Screw

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
106.812	12	Ti.106.812
106.814	14	Ti.106.814
106.816	16	Ti.106.816
106.818	18	Ti.106.818
106.820	20	Ti.106.820
	22	Ti.106.822 ★
	24	Ti.106.824 ★
	26	Ti.106.826 ★
	28	Ti.106.828 ★
	30	Ti.106.830 ★



5.0mm Locking Head Screw - Self Tapping (STARDRIVE)



Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
106.414	14	Ti.106.414
106.416	16	Ti.106.416
106.418	18	Ti.106.418
106.420	20	Ti.106.420
106.422	22	Ti.106.422
106.424	24	Ti.106.424
106.426	26	Ti.106.426
106.428	28	Ti.106.428
106.430	30	Ti.106.430
106.432	32	Ti.106.432
106.434	34	Ti.106.434
106.436	36	Ti.106.436
106.438	38	Ti.106.438
106.440	40	Ti.106.440
106.442	42	Ti.106.442
106.444	44	Ti.106.444
106.446	46	Ti.106.446
106.448	48	Ti.106.448
106.450	50	Ti.106.450
106.455	55	Ti.106.455
106.460	60	Ti.106.460
106.465	65	Ti.106.465
106.470	70	Ti.106.470
106.475	75	Ti.106.475
106.480	80	Ti.106.480
106.485	85	Ti.106.485
106.490	90	Ti.106.490



CE 0068

VARIOLock™
**5.0mm Locking Head Cancellous Screw
Full Thread - Self Tapping (HEXDRIVE) ★**

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
111.725	25	Ti.111.725
111.730	30	Ti.111.730
111.735	35	Ti.111.735
111.740	40	Ti.111.740
111.745	45	Ti.111.745
111.750	50	Ti.111.750
111.755	55	Ti.111.755
111.760	60	Ti.111.760
111.765	65	Ti.111.765
111.770	70	Ti.111.770
111.775	75	Ti.111.775
111.780	80	Ti.111.780
111.785	85	Ti.111.785
111.790	90	Ti.111.790
111.795	95	Ti.111.795
111.800	100	Ti.111.800
111.805	105	Ti.111.805
111.810	110	Ti.111.810



5.0mm Locking Head Cancellous Screw 16mm Thread - Self Tapping (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
-	40	Ti.108.540
-	45	Ti.108.545
108.550	50	Ti.108.550
108.555	55	Ti.108.555
108.560	60	Ti.108.560
108.565	65	Ti.108.565
108.570	70	Ti.108.570
108.575	75	Ti.108.575
108.580	80	Ti.108.580
108.585	85	Ti.108.585
108.590	90	Ti.108.590
108.595	95	Ti.108.595
108.600	100	Ti.108.600
108.605	105	Ti.108.605
108.610	110	Ti.108.610



CE 0068

5.0mm Taper Head Cancellous Screw. 16mm Thread - Self Tapping (HEXDRIVE)

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
108.710	60	Ti.108.710
108.715	65	Ti.108.715
108.720	70	Ti.108.720
108.725	75	Ti.108.725
108.730	80	Ti.108.730
108.735	85	Ti.108.735
108.740	90	Ti.108.740
108.745	95	Ti.108.745
108.750	100	Ti.108.750
108.755	105	Ti.108.755
108.760	110	Ti.108.760



CE 0068

Small Fragment Instruments

804.105 LCP Universal Drill Guide 3.5mm



804.110 LCP Drill Sleeve 3.5mm for Drill Bit 2.8mm



804.115 LCP Centering Sleeve for K. Wire 1.6mm



804.155 Centering Sleeve for K. Wire 1.25mm



260.281 Drill Bit S.S. Quick Coupling End
Dia 2.8mm X 180mm long -Calibrated



804.121 Tap for 3.5mm Locking head Screws



804.122 Tap for 2.7mm Locking Head Screws



804.123 Tap for 2.4mm Locking Head Screws



Small Fragment Instruments

804.124 Variable Angle Drill Sleeve 2.7mm



804.125 LCP Universal Drill Guide 2.0/2.7mm



804.126 Variable Angle Drill Sleeve 2.4mm



804.162 Q.C. Torque Screw Driver Handle 2.0mm Tip
(Torque 0.8Nm)



804.163 Q.C. Torque Screw Driver Handle 2.5mm Tip
(Torque 1.5Nm)



804.166 Hexagonal Screw Driver Q.C. End Shaft,
2.0mm Tip (for Torque Handle 0.8Nm)



804.168 Hexagonal Screw Driver Q.C. End Shaft,
2.5mm Tip (for Torque Handle 1.5Nm)



Small Fragment Instruments

301.031 Hexagonal Screw Driver 2.0mm Tip -
Silicon Handle



XP301.080 Small Star Drive Screw Driver 2.0mm Tip




XP301.081 Small Star Drive Screw Driver 2.5mm Tip




260.210 Drill Bit Q.C. End 2.0mm X 140mm Long



804.120 LCP Drill Sleeve 2.7mm for 2.0mm Drill Bit



804.130 LCP Drill Sleeve 2.4mm for 1.8mm Drill Bit



260.125 Drill Bit Q.C. End 1.8mm X 140mm Long



Large Fragment Instruments

803.105 LCP Universal Drill Guide 4.5 / 5.0mm



803.110 LCP Drill Sleeve 5.0 mm for Drill Bit 4.3 mm



803.115 LCP Guide Sleeve for 2.0mm K. Wire



804.164 Q.C. Torque Screw Driver Handle 3.5mm Tip
(Torque 4.0Nm)



804.170 Hexagonal Screw Driver Q.C. End Shaft,
3.5mm Tip (for Torque Handle 4.0N.M.)



804.114 Variable Angle Drill Guide for VA-LCP Plate
3.5/4.0mm



803.114 Variable Angle Drill Guide for VA-LCP Plate
4.5/5.0mm



Large Fragment Instruments

XP301.082 Star Drive Screw Driver 3.5mm Tip



260.430 Drill Bit S.S. Quick Coupling end
Dia 4.3mm x 221mm long Calibrated



260.281 Drill Bit - S.S. Quick Coupling End
Dia. 2.8mm x 180mm Calibrated



803.112 Tap for 5.0mm Locking Head Screws



301.024 Hexagonal Screw Driver with Self Holding
Sleeve 2.0mm Tip (for 2.4mm Cortical,
locking & 2.7mm Locking Screws)



301.026 Hexagonal Screw Driver with Self Holding
Sleeve 2.5mm Tip (for 2.7mm Cortical,
3.5mm & 4.0mm Locking Head Screws)



301.029 Hexagonal Screw Driver with Self Holding
Sleeve 3.5mm Tip (for 5.0mm Locking Head
& 5.0mm Locking Cancellous Screws)



Instruments

804.122 Tap for 2.7mm Locking Head Screws



804.124 Variable Angle Drill Sleeve 2.7mm



260.210 Drill Bit Q.C. End 2.0mm X 140mm Long



804.120 LCP Drill Sleeve 2.7mm for 2.0mm Drill Bit



311.004 Mini Depth Gauge (Measuring Length 40mm)



301.024 Hexagonal Screw Driver with Self Holding Sleeve 2.0mm Tip (for 2.4mm Cortical, locking & 2.7mm Locking Screws)



804.162 Q.C. Torque Screw Driver Handle 2.0mm Tip (Torque 0.8Nm)



804.166 Hexagonal Screw Driver Q.C. End Shaft,
2.0mm Tip (for Torque Handle 0.8Nm)



804.125 LCP Universal Drill Guide 2.0/ 2.7mm



IS.173 DISTAL RADIUS VARIABLE ANGLE LOCKING ★
PLATE SET - TITANIUM

★★



IS.173 DISTAL RADIUS VARIABLE ANGLE LOCKING
PLATE SET - TITANIUM

Cat No. IS.173	Description	Units
260.210	Drill Bit - S.S. - Quick Coupling End Dia. 2.0mm X 140mm Long	2
301.024	Hexagonal Screw Driver with Self Holding Sleeve 2.0mm Tip (for 2.4mm Cortical, Locking & 2.7mm Locking Head Screw)	1
311.004	Mini Depth Gauge(Measuring length 40mm)	1
804.120	LCP Drill Sleeve 2.7mm for 2.0mm Drill Bit	2
804.122	Tap for 2.7mm Locking Head Screws	1
804.124	Variable Angle Drill Sleeve 2.7mm	1
804.125	LCP Universal Drill Guide 2.0/2.7mm	1
804.162	Q.C. Torque Screw Driver Handle 2.0mm Tip (Torque 0.8N.m)	1
804.166	Hexagonal Screw Driver Q.C. End Shaft, 2.0mm Tip(For Torque Handle 0.8N.M)	1
Ti.100.210	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 10mm	4
Ti.100.212	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 12mm	4
Ti.100.214	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 14mm	4
Ti.100.216	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 16mm	8
Ti.100.218	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 18mm	8
Ti.100.220	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 20mm	4
Ti.100.222	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 22mm	4
Ti.100.224	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 24mm	4
Ti.100.226	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 26mm	4
Ti.100.228	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 28mm	4
Ti.100.230	Cortical Screw 2.4mm Dia. - Self Tapping - Titanium Length 30mm	4
TI.101.910	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 10mm	4
TI.101.912	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 12mm	4
TI.101.914	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 14mm	4
TI.101.916	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 16mm	8
TI.101.918	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 18mm	8
TI.101.920	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 20mm	4
TI.101.922	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 22mm	4
TI.101.924	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 24mm	4
TI.101.926	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 26mm	4
TI.101.928	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 28mm	4
TI.101.930	VARIOLOCK® 2.7mm Locking Head Screw - Self Tapping - Titanium Length 30mm	4

Cat No. IS.173	Description	Units
TI.867.002V	Locking Variable Angle Volar Plate 2.7mm Left - Titanium 2 Holes	1
TI.867.003V	Locking Variable Angle Volar Plate 2.7mm Left - Titanium 3 Holes	1
TI.867.004V	Locking Variable Angle Volar Plate 2.7mm Left - Titanium 4 Holes	1
TI.867.005V	Locking Variable Angle Volar Plate 2.7mm Left -Titanium 5 Holes	1
TI.867.102V	Locking Variable Angle Volar Plate 2.7mm Right - Titanium 2 Holes	1
TI.867.103V	Locking Variable Angle Volar Plate 2.7mm Right - Titanium 3 Holes	1
TI.867.104V	Locking Variable Angle Volar Plate 2.7mm Right - Titanium 4 Holes	1
TI.867.105V	Locking Variable Angle Volar Plate 2.7mm Right - Titanium 5 Holes	1
TI.895.002	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Left 2 Holes	1
TI.895.003	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Left 3 Holes	1
TI.895.004	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Left 4 Holes	1
TI.895.005	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Left 5 Holes	1
TI.895.102	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Right 2 Holes	1
TI.895.103	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Right 3 Holes	1
TI.895.104	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Right 4 Holes	1
TI.895.105	Locking Variable Angle Volar Plate 2.7mm-Titanium -Head 4 Holes, Right 5 Holes	1
400.135	Implant & Instrument Box For Distal Radius Volar Plate 2.4/2.7mm System (Medical Grade Plastic)	1

Issue No. - 6

Revision No. - 6

UP DATED : 06/2023



Siora Surgicals Private Limited

Manufacturer of :

ORTHOPAEDIC IMPLANTS & INSTRUMENTS

Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura, Delhi - 110 035, INDIA. Phone: +91 11 28316116, 17, 18

Manufacturing Unit:

1792, HSIIDC Indl. Estate, RAI District, Sonapat, Haryana - 131029, INDIA

Website:

www.siiora.com

DISCLAIMER: This catalog is intended exclusively for the reference of Physicians. Any information about the products and procedures listed here is general in nature and may not be construed as any medical advice, whatsoever. Information so provided herein therefore does not qualify to be any diagnostic and / or therapeutic opinion with regard to any individual medical case and a patient may be examined and advised accordingly. The representations thus made in the contents of the catalog are not an alternative to any such examination.