


siiora

Preserving Nature's Most Wonderful Creation



DUROFIX™

INTERTAN Nailing System




SCAN HERE ▲

Product Catalog
2025


Intertan Nail - Short 130 Deg.- Titanium

Cat No.	Dia (mm)	Length (mm)
Titanium		
TI.073.09.180	9.0	180
TI.073.10.180	10.0	180
TI.073.11.180	11.0	180
TI.073.12.180	12.0	180
TI.073.13.180	13.0	180




Intertan Nail - Short 130 Deg.- Titanium

Cat No.	Dia (mm)	Length (mm)
Titanium		
TI.074.09.240	9.0	240
TI.074.10.240	10.0	240
TI.074.11.240	11.0	240
TI.074.12.240	12.0	240
TI.074.13.240	13.0	240



Intertan Nail - Long 130 Deg.- Titanium

Cat No. Titanium	Length (mm)	Cat No. Titanium
Left	Dia. 9.0mm	Right
TI.075.09.320	320	TI.076.09.320
TI.075.09.340	340	TI.076.09.340
TI.075.09.360	360	TI.076.09.360
TI.075.09.380	380	TI.076.09.380
TI.075.09.400	400	TI.076.09.400
TI.075.09.420	420	TI.076.09.420
TI.075.09.440	440	TI.076.09.440
Left	Dia. 10.0mm	Right
TI.075.10.320	320	TI.076.10.320
TI.075.10.340	340	TI.076.10.340
TI.075.10.360	360	TI.076.10.360
TI.075.10.380	380	TI.076.10.380
TI.075.10.400	400	TI.076.10.400
TI.075.10.420	420	TI.076.10.420
TI.075.10.440	440	TI.076.10.440
Left	Dia. 11.0mm	Right
TI.075.11.320	320	TI.076.11.320
TI.075.11.340	340	TI.076.11.340
TI.075.11.360	360	TI.076.11.360
TI.075.11.380	380	TI.076.11.380
TI.075.11.400	400	TI.076.11.400
TI.075.11.420	420	TI.076.11.420
TI.075.11.440	440	TI.076.11.440
Left	Dia. 12.0mm	Right
TI.075.12.320	320	TI.076.12.320
TI.075.12.340	340	TI.076.12.340
TI.075.12.360	360	TI.076.12.360
TI.075.12.380	380	TI.076.12.380
TI.075.12.400	400	TI.076.12.400
TI.075.12.420	420	TI.076.12.420
TI.075.12.440	440	TI.076.12.440
Left	Dia. 13.0mm	Right
TI.075.13.320	320	TI.076.13.320
TI.075.13.340	340	TI.076.13.340
TI.075.13.360	360	TI.076.13.360
TI.075.13.380	380	TI.076.13.380
TI.075.13.400	400	TI.076.13.400
TI.075.13.420	420	TI.076.13.420
TI.075.13.440	440	TI.076.13.440



Intertan Nail Compression Screw - Dia. 7.0mm - Titanium

Cat No.	Length (mm)
Titanium	
TI.081.065	65
TI.081.070	70
TI.081.075	75
TI.081.080	80
TI.081.085	85
TI.081.090	90
TI.081.095	95
TI.081.100	100
TI.081.105	105
TI.081.110	110
TI.081.115	115
TI.081.120	120



Intertan Nail Cannulated LAG Screw - Dia. 11mm - Titanium

Cat No.	Length (mm)
Titanium	
TI.082.070	70
TI.082.075	75
TI.082.080	80
TI.082.085	85
TI.082.090	90
TI.082.095	95
TI.082.100	100
TI.082.105	105
TI.082.110	110
TI.082.115	115
TI.082.120	120
TI.082.125	125



Dual Core Locking Bolt Dia. 4.7mm - Self Tapping


Cat No.	Length (mm)
Titanium	
Ti.050.026	26
Ti.050.028	28
Ti.050.030	30
Ti.050.032	32
Ti.050.034	34
Ti.050.036	36
Ti.050.038	38
Ti.050.040	40
Ti.050.042	42
Ti.050.044	44
Ti.050.046	46
Ti.050.048	48
Ti.050.050	50
Ti.050.052	52
Ti.050.054	54
Ti.050.056	56
Ti.050.058	58
Ti.050.060	60
Ti.050.065	65
Ti.050.070	70
Ti.050.075	75
Ti.050.080	80



TI.083.000 End Cap For Intertan Nail - Titanium




TI.083.001 Inner Set Screw For Intertan Nail - Titanium



Set screw is preloaded inside the nail

Design Features of DURA[®]FIX™ Nailing System



Instruments

XP.715.101 Jig Handle for Intertan Nail



XP.715.102 Proximal Attachment 130° Deg.



XP.715.103 Distal Hole Attachment (for 180mm Nail)



XP.715.104 Distal Hole Attachment (for 240mm Nail)



XP.715.105 Distal Aiming Device for Long Nails (Part A)



XP.715.106 Distal Aiming Device for Long Nails (Part B)



XP.715.107 Distal A P Hole Attachment for Intertan Nail



Instruments

XP715.108 Conical Bolt for Intertan Nail



XP715.109 Threaded Protection Sleeve for 7.0/11.0MM Reamer



XP715.110 Guide Wire Sleeve 3.2mm (for 11.0mm Lag Screw)



XP715.111 Guide Wire Sleeve 3.2mm (for 7.0mm Compression Screw)



XP715.112 Protection Sleeve Dia. 11.0/8.0mm, Length 180mm



XP715.113 Drill Sleeve Dia. 8.0/4.3mm, Length 190mm



XP715.114 Protection Sleeve Flat Cut 10.0 X 8.1 X 120mm



Instruments

XP.715.115 Positioning Drill Sleeve
Dia. 8.0/5.2mm X 140mm Length



XP.715.116 Trocar Pointer 3.2mm Dia.



XP.715.117 Trocar Pointer 4.2mm Dia.



XP.715.118 Trocar Pointer 8.0mm Dia.



XP.715.119 T- Handle Pusher for Intertan Nail



XP.715.120 Pusher Block for Intertan Nail



XP.715.121 Knob for Proximal Jig Attachment



Instruments


XP715.122 Knob for Distal Jig Attachment



XP715.123 Tissue Protector



XP715.124 Guide Wire Gripper



XP715.125 Quick Coupling T-Handle



XP715.126 T-Handle for Medullary Canal



XP715.127 Proximal Reamer for Lag Screw - Dia.
11.0mm, Length 430mm



XP715.128 Proximal Step Reamer - Dia.
11.0mm, Length 350mm



Instruments

XP715.129 Proximal Entry Reamer Dia. 17.5mm
for Intertan Nail



XP715.130 Guide Needle 3.2mm X 450mm



XP715.131 Cleaning Guide



XP715.132 Threaded Guide Wire Dia.
3.2mm X 400mm Length



XP715.133 Protection Sleeve for Proximal Entry
Reamer 17.5mm



XP715.134 Proximal Entry Reamer Guide Wire
Sleeve 3.2mm



XP715.135 Extractor for Intertan Nail



Instruments

XP.715.136 Inserter for 11.0mm Intertan Lag screw



XP.715.137 Inserter for 7.0mm Intertan Compression Screw



XP.715.138 Cannulated Tap for 11.0mm Intertan Lag Screw



XP.715.139 Drill Bit Plain Shank -
Dia. 4.2mm X 300mm Long



XP.715.140 Drill Bit Plain Shank -
Dia. 5.2mm X 250mm Long



XP.715.141 Drill Bit with T- Handle -
Dia. 5.2mm X 220mm Long



XP.715.142 Step Drill Bit - Quick Coupling
Dia. 5.0/7.7mm X 380mm Length



Instruments

XP.715.143 Drill Bit - Quick Coupling
Dia.7.0mm x 430mm Length



XP.715.144 Graphic Measuring Scale for Intertan Nail



XP.715.145 Universal Screw Driver Quick Coupling -
4.8mm Tip



XP.715.146 Cannulated Screw Driver Quick Coupling -
4.8mm Tip



XP.715.147 Cannulated Hexagonal Screw Driver
Flexible Shaft - 4.8 mm Tip



XP.715.148 Hammer Guide Rod



XP.715.149 Impacting Device



Instruments

XP715.150 Sliding Hammer



XP715.151 Wrench 3.0mm



XP715.152 Wrench 5.0mm



XP715.153 Ball Hex Screw Driver T - Handle
8.0mm Tip



XP715.154 Ball Tip Screw Driver 4.8mm Tip -
Silicone Handle



XP715.155 Hexagonal T-Wrench 8.0mm Tip



XP715.156 Open End Spanner 11mm



Instruments

XP715.157 Depth Gauge




XP715.158 Direct Measuring Device for Intertan Lag/Compression Screws



XP715.159 Anti-Rotating Rod



XP715.160 Cannulated Bone Awl



XP715.161 Detachable Flexible Reamer Shaft



XP715.162 Detachable Reamer Head 9.0mm



XP715.163 Detachable Reamer Head 9.5mm



Instruments

XP715.164 Detachable Reamer Head 10.0mm



XP715.165 Detachable Reamer Head 10.5mm



XP715.166 Detachable Reamer Head 11.0mm



XP715.167 Detachable Reamer Head 11.5mm



XP715.168 Detachable Reamer Head 12.0mm



XP715.169 Detachable Reamer Head 12.5mm



XP715.170 Detachable Reamer Head 13.0mm



Instruments

XP715.171 Detachable Reamer Head 13.5mm



XP715.172 Detachable Reamer Head Case
Dia. 9mm-13.5mm



XP715.173 Guide Wire with Ball Tip
Dia. 2.5 mm X Length 1000 mm







XP715.174 Trocar Pointer 5.0mm



XP400.176 Graphic Aluminium Instruments Box for
Intertan Nail



XP.IS.200 Intertan Nail Instrument Set



XPIS.200 Intertan Nail Instrument Set		Units
XP715.101	Jig Handle for Intertan Nail	1
XP715.102	Proximal Attachment 130° Deg.	1
XP715.103	Distal Hole Attachment (for 180mm Nail)	1
XP715.104	Distal Hole Attachment (for 240mm Nail)	1
XP715.105	Distal Aiming Device for Long Nails (Part A)	1
XP715.106	Distal Aiming Device for Long Nails (Part B)	1
XP715.107	Distal A P Hole Attachment for Intertan Nail	1
XP715.108	Conical Bolt for Intertan Nail	2
XP715.109	Threaded Protection Sleeve for 7.0/11.0MM Reamer	1
XP715.110	Guide Wire Sleeve 3.2mm (for 11.0mm Lag Screw)	1
XP715.111	Guide Wire Sleeve 3.2mm (for 7.0mm Compression Screw)	1
XP715.112	Protection Sleeve Dia. 11.0/8.0mm, Length 180mm	2
XP715.113	Drill Sleeve Dia. 8.0/4.3mm, Length 190mm	2
XP715.114	Protection Sleeve Flat Cut 10.0 X 8.1 X 120mm	1
XP715.115	Positioning Drill Sleeve Dia. 8.0/5.2mm X 140mm Length	1
XP715.116	Trocar Pointer 3.2mm Dia.	1
XP715.117	Trocar Pointer 4.2mm Dia.	2
XP715.118	Trocar Pointer 8.0mm Dia.	1
XP715.119	T- Handle Pusher for Intertan Nail	1
XP715.120	Pusher Block for Intertan Nail	1
XP715.121	Knob for Proximal Jig Attachment	3
XP715.122	Knob for Distal Jig Attachment	3
XP715.123	Tissue Protector	1
XP715.124	Guide Wire Gripper	1
XP715.125	Quick Coupling T-Handle	1
XP715.126	T-Handle for Medullary Canal	1
XP715.127	Proximal Reamer for Lag Screw - Dia. 11.0mm, Length 430mm	1
XP715.128	Proximal Step Reamer - Dia. 11.0mm, Length 350mm	1
XP715.129	Proximal Entry Reamer Dia. 17.5mm for Intertan Nail	1
XP715.130	Guide Needle 3.2mm X 450mm	2
XP715.131	Cleaning Guide	2
XP715.132	Threaded Guide Wire Dia. 3.2mm X 400mm Length	2

CONTINUE.....

Intertan Nail Instrument Set		Units
XP715.133	Protection Sleeve for Proximal Entry Reamer 17.5mm	1
XP715.134	Proximal Entry Reamer Guide Wire Sleeve 3.2mm	1
XP715.135	Extractor for Intertan Nail	1
XP715.136	Inserter for 11.0mm Intertan Lag screw	1
XP715.137	Inserter for 7.0mm Intertan Compression Screw	1
XP715.138	Cannulated Tap for 11.0mm Intertan Lag Screw	1
XP715.139	Drill Bit Plain Shank - Dia. 4.2mm X 300mm Long	2
XP715.140	Drill Bit Plain Shank - Dia. 5.2mm X 250mm Long	1
XP715.141	Drill Bit with T- Handle - Dia. 5.2mm X 220mm Long	1
XP715.142	Step Drill Bit - Quick Coupling Dia. 5.0/7.7mm X 380mm Length	1
XP715.143	Drill Bit - Quick Coupling Dia.7.0mm x 430mm Length	1
XP715.144	Graphic Measuring Scale for Intertan Nail	1
XP715.145	Universal Screw Driver Quick Coupling - 4.8mm Tip	1
XP715.146	Cannulated Screw Driver Quick Coupling - 4.8mm Tip	1
XP715.147	Cannulated Hexagonal Screw Driver Flexible Shaft - 4.8 mm Tip	1
XP715.148	Hammer Guide Rod	1
XP715.149	Impacting Device	1
XP715.150	Sliding Hammer	1
XP715.151	Wrench 3.0mm	1
XP715.152	Wrench 5.0mm	1
XP715.153	Ball Hex Screw Driver T - Handle 8.0mm Tip	1
XP715.154	Ball Tip Screw Driver 4.8mm Tip - Silicone Handle	1
XP715.155	Hexagonal T-Wrench 8.0mm Tip	1
XP715.156	Open End Spanne 11mm	1
XP715.157	Depth Gauge	1
XP715.158	Direct Measuring Device for Intertan Lag/Compression Screws	1
XP715.159	Anti-Rotating Rod	1
XP715.160	Cannulated Bone Awl	1
XP715.161	Detachable Flexible Reamer Shaft	1
XP715.162	Detachable Reamer Head 9.0mm	1
XP715.163	Detachable Reamer Head 9.5mm	1
XP715.164	Detachable Reamer Head 10.0mm	1

CONTINUE.....

Intertan Nail Instrument Set		Units
XP.715.165	Detachable Reamer Head 10.5mm	1
XP.715.166	Detachable Reamer Head 11.0mm	1
XP.715.167	Detachable Reamer Head 11.5mm	1
XP.715.168	Detachable Reamer Head 12.0mm	1
XP.715.169	Detachable Reamer Head 12.5mm	1
XP.715.170	Detachable Reamer Head 13.0mm	1
XP.715.171	Detachable Reamer Head 13.5mm	1
XP.715.172	Detachable Reamer Head Case Dia. 9.0mm-13.5mm	1
XP.715.173	Guide Wire with Ball Tip Dia. 2.5 mm X Length 1000 mm	1
XP.715.174	Trocar Pointer 5.0mm Dia.	1
XP.400.176	Graphic Aluminium Instruments Box for Intertan Nail	1

Issue No. - 1	Revision No. - 1	Dated : 01/2025
---------------	------------------	-----------------

Issue No. - 1

Revision No. - 1

DATED : 01/2025



Siora Surgicals Private Limited

Manufacturer of :

ORTHOPAEDIC IMPLANTS & INSTRUMENTS

Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura, Delhi - 110 035, INDIA. Phone: +91 11 28316116

Manufacturing Unit:

1792, HSIIDC Indl. Estate, RAI District, Sonapat, Haryana - 131029, INDIA

Website:

www.siiora.com

DISCLAIMER: This catalog is intended exclusively for the reference of Physicians. Any information about the products and procedures listed here is general in nature and may not be construed as any medical advice, whatsoever. Information so provided herein therefore does not qualify to be any diagnostic and / or therapeutic opinion with regard to any individual medical case and a patient may be examined and advised accordingly. The representations thus made in the contents of the catalog are not an alternative to any such examination.