




JUNE
2023

siiora

Preserving Nature's Most Wonderful Creation



Cannulated Screws



www.siiora.com

**Product Catalogue
2023**

Small Cannulated Cancellous Screws

Small Cannulated Cancellous Screw 4.0mm
Short Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
116.010	10	Ti.116.010
116.012	12	Ti.116.012
116.014	14	Ti.116.014
116.016	16	Ti.116.016
116.018	18	Ti.116.018
116.020	20	Ti.116.020
116.022	22	Ti.116.022
116.024	24	Ti.116.024
116.026	26	Ti.116.026
116.028	28	Ti.116.028
116.030	30	Ti.116.030
116.032	32	Ti.116.032
116.034	34	Ti.116.034
116.036	36	Ti.116.036
116.038	38	Ti.116.038
116.040	40	Ti.116.040
116.042	42	Ti.116.042
116.044	44	Ti.116.044
116.046	46	Ti.116.046
116.048	48	Ti.116.048
116.050	50	Ti.116.050
116.055	55	Ti.116.055
116.060	60	Ti.116.060
116.065	65	Ti.116.065
116.070	70	Ti.116.070
116.075	75	Ti.116.075
116.080	80	Ti.116.080



CE 0068

Small Cannulated Cancellous Screws

Small Cannulated Cancellous Screw 4.0mm
Half Thread



Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
116.110	10	Ti.116.110
116.112	12	Ti.116.112
116.114	14	Ti.116.114
116.116	16	Ti.116.116
116.118	18	Ti.116.118
116.120	20	Ti.116.120
116.122	22	Ti.116.122
116.124	24	Ti.116.124
116.126	26	Ti.116.126
116.128	28	Ti.116.128
116.130	30	Ti.116.130
116.132	32	Ti.116.132
116.134	34	Ti.116.134
116.136	36	Ti.116.136
116.138	38	Ti.116.138
116.140	40	Ti.116.140
116.142	42	Ti.116.142
116.144	44	Ti.116.144
116.146	46	Ti.116.146
116.148	48	Ti.116.148
116.150	50	Ti.116.150
116.155	55	Ti.116.155
116.160	60	Ti.116.160

Small Cannulated Cancellous Screws

Small Cannulated Cancellous Screw 4.0mm
Fully Threaded

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
116.210	10	Ti.116.210
116.212	12	Ti.116.212
116.214	14	Ti.116.214
116.216	16	Ti.116.216
116.218	18	Ti.116.218
116.220	20	Ti.116.220
116.222	22	Ti.116.222
116.224	24	Ti.116.224
116.226	26	Ti.116.226
116.228	28	Ti.116.228
116.230	30	Ti.116.230
116.232	32	Ti.116.232
116.234	34	Ti.116.234
116.236	36	Ti.116.236
116.238	38	Ti.116.238
116.240	40	Ti.116.240
116.242	42	Ti.116.242
116.244	44	Ti.116.244
116.246	46	Ti.116.246
116.248	48	Ti.116.248
116.250	50	Ti.116.250
116.255	55	Ti.116.255
116.260	60	Ti.116.260
116.265	65	Ti.116.265 *
116.270	70	Ti.116.270 *
116.275	75	Ti.116.275 *
116.280	80	Ti.116.280 *

CE 0068

115.010 Washer for 4.0mm Cancellous Screws
Stainless Steel

Ti.115.010 Washer for 4.0mm Cancellous Screws
Titanium

CE 0068



Instruments for Small Cannulated Cancellous Screw

★★

IS.022 Instruments Set 4.0mm Cannulated Cancellous Screws



Cat No. IS.022	Description	Units
704.005	Threaded Guide Wire 1.25mm, 150mm	10
704.008	Cannulated Counter Sink Q.C. Dia 6.0mm	1
704.009	Cannulated Tap 4.0mm Q.C.	1
704.010	Double Drill Sleeve 2.7/1.25mm	1
704.011	Drill Guide with Stop 3.5mm/2.7mm with two Inserts	1
704.012	Cannulated Hexagonal Screw Driver - 2.5mm Tip - Silicon Handle	1
704.013	Direct Measuring Device	1
704.014	Stylet 1.25mm	1
704.015	Holding Clip	1
704.016	Cannulated Quick Coupling Tap Handle with Fibre Handle	1
704.006	Cannulated Drill Bit 2.7/1.35mm, Length 130mm Plain Shank	1
704.007	Cannulated Drill Bit 3.5/1.35mm, Length 130mm Plain Shank	1
307.060	Drill & Tap Sleeve Combined 2.5/3.5mm	1
400.088	Graphic Aluminium Instrument Box for 4.0 Cannulated Cancellous Screw	1

Instruments for Small Cannulated Cancellous Screw


704.005 Threaded Guide Wire 1.25mm, 150mm



704.006 Cannulated Drill Bit 2.7 / 1.35mm, length 130mm Plain Shank



704.007 Cannulated Drill Bit 3.5/1.35mm Length 130mm Plain Shank



704.008 Cannulated Counter Sink Q.C. 6.0mm



704.009 Cannulated Tap 4.0mm Q.C.



704.010 Double Drill Sleeve 2.7 / 1.25mm



704.011 Drill Guide with Stop 3.5/2.7mm with Two Inserts



704.012 Cannulated Hexagonal Screw Driver - 2.5mm Tip - Silicon Handle



Instruments for Small Cannulated Cancellous Screw

704.013 Direct Measuring Device - S.S.



704.014 Stylet 1.25mm



704.015 Holding Clip



704.016 Cannulated Quick Coupling Tap Handle with Fiber Handle



307.060 Drill & Tap Sleeve Combined 2.5 /3.5mm



IS.142 Small Cannulated Cancellous 4.0mm Screw Set - S.S.



Cat No. IS.142	Description	Units
116.010	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 10mm	4
116.012	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - S.S. Length 12mm	4
116.014	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - S.S. Length 14mm	4
116.016	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - S.S. Length 16mm	4
116.018	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - S.S. Length 18mm	4
116.020	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 20mm	4
116.022	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - S.S.Length 22mm	4
116.024	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 24mm	4
116.026	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 26mm	4
116.028	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 28mm	4
116.030	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 30mm	4
116.032	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 32mm	4
116.034	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 34mm	4

IS.142 Small Cannulated Cancellous 4.0mm
Screw Set - Stainless Steel

Cat No.	Description	Units
116.036	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 36mm	4
116.038	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 38mm	4
116.040	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 40mm	4
116.042	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 42mm	4
116.044	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 44mm	4
116.046	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 46mm	4
116.048	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 48mm	4
116.050	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 50mm	4
116.055	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 55mm	4
116.060	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- S.S. Length 60mm	4
116.210	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 10mm	4
116.212	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 12mm	4
116.214	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 14mm	4
116.216	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 16mm	4
116.218	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 18mm	4
116.220	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded - S.S. Length 20mm	4
116.222	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 22mm	4
116.224	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 24mm	4
116.226	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 26mm	4
116.228	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 28mm	4
116.230	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 30mm	4
116.232	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 32mm	4
116.234	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded-S.S. Length 34mm	4
116.236	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 36mm	4
116.238	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 38mm	4
116.240	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 40mm	4
116.242	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 42mm	4
116.244	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded -S.S. Length 44mm	4
116.246	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 46mm	4
116.248	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 48mm	4
116.250	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 50mm	4
116.255	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 55mm	4
116.260	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- S.S. Length 60mm	4
400.090	Aluminum Screw Box For 4.0MM Cannulated Cancellous Screw With Screw Tray And Screw Holding Forceps (Without Implants)	1

IS.143 Small Cannulated Cancellous 4.0mm Screw Set - Titanium



Cat No. IS.143	Description	Units
Ti.116.010	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 10mm	4
Ti.116.012	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 12mm	4
Ti.116.014	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 14mm	4
Ti.116.016	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 16mm	4
Ti.116.018	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 18mm	4
Ti.116.020	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 20mm	4
Ti.116.022	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 22mm	4
Ti.116.024	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 24mm	4
Ti.116.026	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 26mm	4
Ti.116.028	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 28mm	4
Ti.116.030	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 30mm	4
Ti.116.032	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 32mm	4
Ti.116.034	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread - Ti. Length 34mm	4

IS.143 Small Cannulated Cancellous 4.0mm Screw Set - Titanium

Cat No.	Description	Units
Ti.116.036	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 36mm	4
Ti.116.038	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 38mm	4
Ti.116.040	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 40mm	4
Ti.116.042	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 42mm	4
Ti.116.044	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 44mm	4
Ti.116.046	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 46mm	4
Ti.116.048	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 48mm	4
Ti.116.050	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 50mm	4
Ti.116.055	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 55mm	4
Ti.116.060	Small Cannulated Cancellous Screw 4.0mm Dia. - Short Thread- Ti. Length 60mm	4
Ti.116.210	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 10mm	4
Ti.116.212	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 12mm	4
Ti.116.214	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 14mm	4
Ti.116.216	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 16mm	4
Ti.116.218	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 18mm	4
Ti.116.220	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 20mm	4
Ti.116.222	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 22mm	4
Ti.116.224	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 24mm	4
Ti.116.226	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 26mm	4
Ti.116.228	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 28mm	4
Ti.116.230	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 30mm	4
Ti.116.232	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 32mm	4
Ti.116.234	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 34mm	4
Ti.116.236	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 36mm	4
Ti.116.238	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 38mm	4
Ti.116.240	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 40mm	4
Ti.116.242	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 42mm	4
Ti.116.244	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 44mm	4
Ti.116.246	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 46mm	4
Ti.116.248	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 48mm	4
Ti.116.250	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 50mm	4
Ti.116.255	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 55mm	4
Ti.116.260	Small Cannulated Cancellous Screw 4.0mm Dia. - Fully Threaded- Ti. Length 60mm	4
400.090	Aluminum Screw Box For 4.0MM Cannulated Cancellous Screw With Screw Tray And Screw Holding Forceps (Without Implants)	1

Large Cannulated Cancellous Screw 7.0mm


Large Cannulated Cancellous Screw, 7.0mm
Dia 16mm Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
111.030	30	Ti.111.030
111.035	35	Ti.111.035
111.040	40	Ti.111.040
111.045	45	Ti.111.045
111.050	50	Ti.111.050
111.055	55	Ti.111.055
111.060	60	Ti.111.060
111.065	65	Ti.111.065
111.070	70	Ti.111.070
111.075	75	Ti.111.075
111.080	80	Ti.111.080
111.085	85	Ti.111.085
111.090	90	Ti.111.090
111.095	95	Ti.111.095
111.100	100	Ti.111.100
111.105	105	Ti.111.105
111.110	110	Ti.111.110
111.115	115	Ti.111.115
111.120	120	Ti.111.120

CE 0068

Large Cannulated Cancellous Screw 7.0mm

Large Cannulated Cancellous Screw, 7.0mm
Dia 32mm Thread




Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
112.030	30	Ti.112.030
112.035	35	Ti.112.035
112.040	40	Ti.112.040
112.045	45	Ti.112.045
112.050	50	Ti.112.050
112.055	55	Ti.112.055
112.060	60	Ti.112.060
112.065	65	Ti.112.065
112.070	70	Ti.112.070
112.075	75	Ti.112.075
112.080	80	Ti.112.080
112.085	85	Ti.112.085
112.090	90	Ti.112.090
112.095	95	Ti.112.095
112.100	100	Ti.112.100
112.105	105	Ti.112.105
112.110	110	Ti.112.110
112.115	115	Ti.112.115
112.120	120	Ti.112.120

Large Cannulated Cancellous Screw 7.0mm

Large Cannulated Cancellous Screw, 7.0mm
Dia. - Fully Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
112.235	35	Ti.112.235
112.240	40	Ti.112.240
112.245	45	Ti.112.245
112.250	50	Ti.112.250
112.255	55	Ti.112.255
112.260	60	Ti.112.260
112.265	65	Ti.112.265
112.270	70	Ti.112.270
112.275	75	Ti.112.275
112.280	80	Ti.112.280
112.285	85	Ti.112.285
112.290	90	Ti.112.290
112.295	95	Ti.112.295
112.300	100	Ti.112.300
112.305	105	Ti.112.305
112.310	110	Ti.112.310
112.315	115	Ti.112.315
112.320	120	Ti.112.320



Large Cannulated Cancellous Screw 6.5mm

Large Cannulated Cancellous Screw, 6.5mm
Dia 16mm Thread



Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
108.330	30	Ti.108.330
108.335	35	Ti.108.335
108.340	40	Ti.108.340
108.345	45	Ti.108.345
108.350	50	Ti.108.350
108.355	55	Ti.108.355
108.360	60	Ti.108.360
108.365	65	Ti.108.365
108.370	70	Ti.108.370
108.375	75	Ti.108.375
108.380	80	Ti.108.380
108.385	85	Ti.108.385
108.390	90	Ti.108.390
108.395	95	Ti.108.395
108.400	100	Ti.108.400
108.405	105	Ti.108.405 *
108.410	110	Ti.108.410 *
108.415	115	Ti.108.415 *
108.420	120	Ti.108.420 *

Large Cannulated Cancellous Screw, 6.5mm
Dia 32mm Thread



Cat No.	Length (mm)	Cat No.	Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium		Titanium	
109.430	30	Ti.109.430	109.480	80	Ti.109.480
109.435	35	Ti.109.435	109.485	85	Ti.109.485
109.440	40	Ti.109.440	109.490	90	Ti.109.490
109.445	45	Ti.109.445	109.495	95	Ti.109.495
109.450	50	Ti.109.450	109.500	100	Ti.109.500
109.455	55	Ti.109.455	109.505	105	Ti.109.505 ★
109.460	60	Ti.109.460	109.510	110	Ti.109.510 ★
109.465	65	Ti.109.465	109.515	115	Ti.109.515 ★
109.470	70	Ti.109.470	109.520	120	Ti.109.520 ★
109.475	75	Ti.109.475			

Large Cannulated Cancellous Screw 6.5mm

Large Cannulated Cancellous Screw, 6.5mm
Dia Fully Thread



Cat No.	Length (mm)	Cat No.	Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium		Titanium	
110.430	30	Ti.110.430	110.480	80	Ti.110.480
110.435	35	Ti.110.435	110.485	85	Ti.110.485
110.440	40	Ti.110.440	110.490	90	Ti.110.490
110.445	45	Ti.110.445	110.495	95	Ti.110.495
110.450	50	Ti.110.450	110.500	100	Ti.110.500
110.455	55	Ti.110.455	110.505	105	Ti.110.505
110.460	60	Ti.110.460	110.510	110	Ti.110.510
110.465	65	Ti.110.465	110.515	115	Ti.110.515
110.470	70	Ti.110.470	110.520	120	Ti.110.520
110.475	75	Ti.110.475			

Washer

For 6.5mm Cancellous &
7.0mm Cannulated Screw

Cat. No.	Cat No.
Stainless Steel	Titanium
115.020	Ti.115.020

CE 0068



6.5mm Large Cannulated Cancellous screw Instruments Set



Cat No. IS.127	6.5mm Large Cannulated Cancellous Screw Instrument Set	Units
703.010	Cannulated Drill Bit 4.5mm	1
703.018	Cannulated Tap with T - Handle 6.5mm	1
703.012	Protection Sleeve 4.5mm Dia	1
703.013	Parallel Wire Guide	1
703.014	Direct Measuring Device (for 2.0mm Guide Wire)	1
703.015	Threaded Guide Wire 2.0mm Dia	5
703.016	Large cannulated Hexagonal Screw Driver 3.5mm Tip - Silicon Handle	1
703.017	Stylet 2.0mm	1
400.089	Graphic Aluminium Instrument Box for 7.0mm Cannulated Cancellous Screw	1

7.0mm Large Cannulated Cancellous screw Instruments Set


★★



Cat No. IS.020	7.0mm Large Cannulated Cancellous Screw Instrument Set	Units
703.010	Cannulated Drill Bit 4.5mm	1
703.011	Cannulated Tap with T - Handle 7.0mm	1
703.012	Protection Sleeve 4.5mm Dia	1
703.013	Parallel Wire Guide	1
703.014	Direct Measuring Device (for 2.0mm Guide Wire)	1
703.015	Threaded Guide Wire 2.0mm Dia	5
703.016	Large cannulated Hexagonal Screw Driver 3.5mm Tip - Silicon Handle	1
703.017	Styilet 2.0mm	1
400.089	Graphic Aluminium Instrument Box for 7.0mm Cannulated Cancellous Screw	1

6.5mm Large Cannulated Cancellous Screw Instruments

703.010 Cannulated Drill Bit 4.5mm



703.018 Cannulated Tap with T - Handle 6.5mm



703.012 Protection Sleeve 4.5mm



703.014 Direct Measuring Device - S.S.
(for 2.0mm Guide Wire)




703.013 Parallel Wire Guide



703.015 Threaded Guide Wire Dia. 2.0mm



703.017 Stylet 2.0mm



703.016 Large Cannulated Hexagonal Screw Driver
3.5mm Tip - Silicon Handle



7.0mm Instruments for Large Cannulated Cancellous Screw

703.010 Cannulated Drill Bit 4.5mm



703.011 Cannulated Tap with T - Handle 7.0mm



703.012 Protection Sleeve 4.5mm



703.014 Direct Measuring Device - S.S.
(for 2.0mm Guide Wire)



703.013 Parallel Wire Guide



703.015 Threaded Guide Wire Dia. 2.0mm



703.017 Stylet 2.0mm



703.016 Large Cannulated Hexagonal Screw Driver
3.5mm Tip - Silicon Handle





Cat No.
IS.021

Large Cannulated Cancellous Implant Set

Large Cannulated Cancellous Screws 7.0mm Dia, 16mm Thread

111.030	Length 30mm	3
111.035	Length 35mm	3
111.040	Length 40mm	3
111.045	Length 45mm	3
111.050	Length 50mm	3
111.055	Length 55mm	3
111.060	Length 60mm	3
111.065	Length 65mm	3
111.070	Length 70mm	3
111.075	Length 75mm	3
111.080	Length 80mm	3
111.085	Length 85mm	3
111.090	Length 90mm	3
111.095	Length 95mm	3
111.100	Length 100mm	3
111.105	Length 105mm	2

Large Cannulated Cancellous Implant Set

Cat No. IS.021	Description	Units
111.110	Length 110mm	2
111.115	Length 115mm	2
111.120	Length 120mm	2
7.0mm Cannulated Cancellous Screws, 32mm Thread		
112.030	Length 30mm	3
112.035	Length 35mm	3
112.040	Length 40mm	3
112.045	Length 45mm	3
112.050	Length 50mm	3
112.055	Length 55mm	3
112.060	Length 60mm	3
112.065	Length 65mm	3
112.070	Length 70mm	3
112.075	Length 75mm	3
112.080	Length 80mm	3
112.085	Length 85mm	3
112.090	Length 90mm	3
112.095	Length 95mm	3
112.100	Length 100mm	3
112.105	Length 105mm	2
112.110	Length 110mm	2
112.115	Length 115mm	2
112.120	Length 120mm	2
115.020	Washer for 6.5 Cancellous and 7.0mm Cannulated Screws	10
400.093	Aluminium Screw Box For Large Cannulated Cancellous Screw with Screw & Instrument Tray 1	★

Screw Box

400.093 Aluminium Screw Box For Large Cannulated Cancellous Screw with Screw & Instrument Tray ★



★★



Issue No. - 6

Revision No. - 6

Dated : 06/2023

Issue No. - 6

Revision No. - 6

UP DATED : 06/2023



Siora Surgicals Private Limited

Manufacturer of :

ORTHOPAEDIC IMPLANTS & INSTRUMENTS

Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura, Delhi - 110 035, INDIA. Phone: +91 11 28316116, 17, 18

Manufacturing Unit:

1792, HSIIDC Indl. Estate, RAI District, Sonapat, Haryana - 131029, INDIA

Website:

www.siiora.com

DISCLAIMER: This catalog is intended exclusively for the reference of Physicians. Any information about the products and procedures listed here is general in nature and may not be construed as any medical advice, whatsoever. Information so provided herein therefore does not qualify to be any diagnostic and / or therapeutic opinion with regard to any individual medical case and a patient may be examined and advised accordingly. The representations thus made in the contents of the catalog are not an alternative to any such examination.